



# PETERSON

BRIGHTER ROADS AHEAD

# SAFETY, CLEARLY REFINED.

**When appearance matters  
as much as performance.**

*In applications where every detail counts, lighting should complement the design—  
not compete with it. Peterson's Clear Lens Family delivers a clean, refined look backed  
by the performance you trust.*

**Smooth Surfaces. Clean lines. Purposeful design.**

Contact us today to explore customized solutions  
designed to meet your unique needs  
at [info@pmlights.com](mailto:info@pmlights.com)!



Scan the QR-code  
to learn more about  
our clear lens lights.



**PETERSON**  
BRIGHTER ROADS AHEAD

4200 E. 135th Street  
Grandview, MO 64030  
Phone No. (816) 765-2000



[pmlights.com](http://pmlights.com)



## 338 Double-Face Round Park & Turn Light

- Single stud pedestal mount with two 4" round lenses.
- Chrome die-cast housing.
- 3 hardwired stripped leads.
- Has amber diodes facing front of vehicle, red diodes facing rear.
- Reversible for use on either side of vehicle.



Description	Viz Pack	Std Qty	Poly Bag	Std Qty	Bulk Pack	Std Qty
amber/red	V338C-2	6			M338C-2	12



## 820C-10/823C-10 Lumen X® AMP Oval Stop/Turn/Tail Light



- Multi-volt design compatible with 12 & 24 volt systems.
- Integral 30° angle silicone-sealed AMP receptacle.
- Meets DOT requirements in any horizontal/vertical/360° position.
- 820 kit includes light, grommet and 817-49 plug.
- 823 kit includes light and 817-49 plug.



Description	Poly Bag	Std Qty	Bulk Pack	Std Qty
grommet			M820CR-10	50
grommet kit	820KCR-10	6		
light	820CR-10	6		
flange			M823CR-10	50
flange kit	823KCR-10	6		
light	823CR-10	6		

## 821C-10/822C-10 Lumen X® PL3 Oval Stop/Turn/Tail Light



- Multi-volt design compatible with 12 & 24 volt systems.
- PL3 socket integrated into housing.
- Meets DOT requirements in any horizontal/vertical/360° position.
- 821 kit includes light, grommet and 421-491 plug.
- 822 kit includes light and 421-491 plug.



Description	Poly Bag	Std Qty	Bulk Pack	Std Qty
grommet			M821CR-10	50
grommet kit	821KCR-10	6		
light	821CR-10	6		
flange			M822CR-10	50
flange kit	822KCR-10	6		
light	822CR-10	6		



## 817C-3 4" Round Stop/Turn/Tail Light



- Features red diodes behind clear lens.
- Integral 30° angle silicone-sealed AMP receptacle.
- Skirted weld joint for added protection against moisture.



Description	Poly Bag	Std Qty	Bulk Pack	Std Qty
red w/clear lens	817CR-3	1	M817CR-3	50



## 817C-9/818C-9 Lumen X® 4" Round Stop/Turn/Tail Light



- Multi-volt design compatible with 12 & 24 volt systems.
- Integral 30° angle silicone-sealed AMP receptacle.
- 818CR-9 features red diodes behind clear lens.
- See matching turn signal light on page 44.
- See matching backup light on page 47.



Description	Poly Bag	Std Qty	Bulk Pack	Std Qty
grommet clear lens	817CR-9	6	M817CR-9	50
flange clear lens	818CR-9	6	M818CR-9	50



## 817C-36/818C-36 4" Round Stop/Turn/Tail Light



- Original 36-diode multi-diode lens look.
- Integral 30° angle silicone-sealed AMP receptacle.
- Viz-Pack kits include light, grommet and 817-49 plug.



Description	Viz Pack	Std Qty	Poly Bag	Std Qty	Bulk Pack	Std Qty
grommet, clear lens			817CR-36	6	M817CR-36	50
grommet kit, clear lens	V817KCR-36	6				
flange, clear lens			818CR-36	6	M818CR-36	50

# CLEARANCE/MARKER — TURN SIGNAL



## 817C-9/818C-9 Lumen X® AMP 4" Round F/R Turn Signal



- Multi-volt design compatible with 12V and 24V systems.
- Integral 30° angle silicone-sealed AMP receptacle.
- Meets DOT FRONT & REAR turn signal requirements.
- Includes DOT-compliant low intensity park/marker light function.



Description	Poly Bag	Std Qty	Bulk Pack	Std Qty
grommet, clear lens	817CA-9	6	M817CA-9	50
flange, clear lens	818CA-9	6	M818CA-9	50



## 356C Oval CA Title 13 Aux Mid-Turn Light w/ Reflex



- Meets State of California Title 13 requirements.
- Provides auxiliary mid-turn function, intermediate side marker, and side reflector.
- 30° angle, 2-wire, silicone-sealed AMP receptacle integrated into housing.
- Meets SAE J914B, SAE J2039 specifications.



Description	Poly Bag	Std Qty	Bulk Pack	Std Qty
grommet	356CA	6	M356CA	50
flange	356FCA	6	M356FCA	50



Sequential arrow illumination

## 823QC Sequential Oval Auxiliary/Marker Light



- Cycles through multiple sequential arrows until fully lit.
- Does not require external flasher unit.
- Multi-volt design compatible with 12 & 24 volt systems.
- Integral 30° angle silicone-sealed AMP receptacle.
- For use as auxiliary turn signal; not certified to meet legally required turn signal requirements.
- Low-light function meets DOT side marker requirement.



Description	Poly Bag	Std Qty	Bulk Pack	Std Qty
flange, clear lens	823QCA	6		



## 207C PC-Rated 2 1/2" Clearance & Side Marker Light



- PC-rated light functions as both clearance and side marker when properly mounted.
- 30° angle, 2-wire, silicone-sealed AMP receptacle integrated into housing.
- Available in grommet, flange and surface-mount versions.



Description	Poly Bag	Std Qty	Bulk Pack	Std Qty
amber grommet clear lens	207CA	12	M207CA	50
red grommet clear lens	207CR	12	M207CR	50
amber flange clear lens	207FCA	12	M207FCA	50
red flange clear lens	207FCR	12	M207FCR	50
amber surface clear lens	207SCA	12	M207SCA	50
red surface clear lens	207SCR	12	M207SCR	50

See our website and catalogs for related accessories

[petersonlightsandharness.com](http://petersonlightsandharness.com)

# CLEARANCE/MARKER



## 233C PC-Rated 2 1/2" Clearance/Marker Light w/Aux Function



- Clearance /marker function plus high-intensity function for use as auxiliary CHMSL, brake, or turn function.
- 30° angle 3-wire silicone-sealed AMP receptacle integrated into housing.
- PC-rated light functions as both clearance and side marker when properly mounted.
- Amber light has 1 diode, red light has 5 diodes.



Description	Poly Bag	Std Qty	Bulk Pack	Std Qty
amber flange clear lens			M233FCA	50
red flange clear lens			M233FCR	50



## 178C Clearance/Side Marker Light



- Mounts on 4" centers.
- Hardwired design with two .180 bullets.
- Meets DOT requirements for clearance /side marker lights up to 20 degree tilt-back.
- Chrome bezel available separately.

Description	Poly Bag	Std Qty	Bulk Pack	Std Qty
amber clear lens			M178CA-BT2	50
red clear lens			M178CR-BT2	50

## 178-MVC Clearance/Side Marker Light



- Multi-volt design compatible with 12 & 24 volt systems.
- Mounts on 4" centers.
- Hardwired design with two .180 bullets.
- Meets DOT requirements for clearance /side marker lights up to 20 degree tilt-back.
- Chrome bezel available separately.

Description	Poly Bag	Std Qty	Bulk Pack	Std Qty
amber clear lens			M178A-MVC	50

### RECOMMENDED ACCESSORIES

chrome bezel	178-10	12	B178-10	100
--------------	--------	----	---------	-----



## 388 Clearance/Side Marker Light



- Multi-volt design compatible with 12 & 24 volt systems.
- Hardwired stripped leads exit in center rear of light.
- Can be surface mounted with bracket, or recess-mounted without bracket.
- Optional chrome bracket available separately.
- See matching white and blue utility lights on page 55.

Description	Poly Bag	Std Qty	Bulk Pack	Std Qty
amber clear lens	388A	12	M388A	10
red clear lens	388R	12	M388R	10



## 177C PC-Rated 3/4" Clearance & Side Marker



- Has theft-deterrent security feature when properly mounted.
- Hardwired 8" leads with .180 bullets.
- Compact single diode design fits 0.75" hole.
- PC-rated – functions as clearance & side marker when properly mounted.
- Does not require "Top" positioning.
- Includes rubber mounting grommet.

Description	Poly Bag	Std Qty	Bulk Pack	Std Qty
amber clr .180 bullets	177CA-BT2	1	M177CA-BT2	50
red clear .180 bullets	177CR-BT2	1	M177CR-BT2	50

## 4312 PC-Rated 3/4" Marker Light w/Aux Function



- Clearance /marker function plus high-intensity function for use as auxiliary CHMSL, brake, or turn function.
- Has theft-deterrent security feature when properly mounted.
- Hardwired 8" leads with .180 bullets.
- Compact single diode design fits 0.75" hole.
- PC-rated – functions as clearance & side marker when properly mounted.
- Includes rubber mounting grommet.

Description	Viz Pack	Std Qty	Poly Bag	Std Qty	Bulk Pack	Std Qty
red clr lens w/ bullets					4312CR	50



## 168C Mini Clearance/Side Marker Light



- Hardwired with separate 5.75" long lead and ground wires.
- Mounts on 1-15/16" centers; optional B168-09 bracket allows for mounting on either 1-15/16" or 1-1/8" centers.

Description	Poly Bag	Std Qty	Bulk Pack	Std Qty
amber clear, .180 bullets			M168CA-BT2	50
red clear lens, .180 bullets			M168CR-BT2	50